Test Report issued under the responsibility of:





TEST REPORT IEC 60947-2

Low-voltage switchgear and controlgear - Part 2: Circuit-breakers

Report Number.....: (2018)FQIIDQ-0607

Date of issue.....: 2019-01-30

Total number of pages...... 32

Name of Testing Laboratory Fujian Inspection and Research Institute for Product Quality (FQII) preparing the Report.....:

Applicant's name...... Zhejiang Tengen Electrics Cont. td. III 📥

Address...... Sulv Industry Zone, Liushi Town, Yueqing City, Zhejiang Province,

P.R.China

Test specification:

Standard.....: IEC 60947-2:2016

Test procedure.....: CB Scheme

Non-standard test method.....: N/A

Test Report Form No....: IEC60947_2H

Test Report Form(s) Originator.....: DEKRA Certification B.V.

Master TRF.....: Dated 2017-04

Copyright © 2017 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved.

This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.

If this Test Report Form is used by non-IECEE members, the IECEE/IEC logo and the reference to the CB Scheme procedure shall be removed.

This report is not valid as a CB Test Report unless signed by an approved CB Testing Laboratory and appended to a CB Test Certificate issued by an NCB in accordance with IECEE 02.

General disclaimer:

The test results presented in this report relate only to the object tested.

This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.

Test item description::	MCCB
Trade Mark:	TENGEN

Manufacturer::	Zhejiang Tengen Electrics Co.,Ltd. / Sulv Industry Zone, Liushi Town, Yueqing City, Zhejiang Province, P.R.China	
Model/Type reference:	TGM3-400L, TGM3-400M, TGM3-400H	
Ratings:	In: 225A,250A, 315A,350A,400A;	
	Type of over-current release: Thermo-magnetic, Electro-magnetic;	
	400V:Type L:lcs:35kA,lcu:50kA;	
	Type M:lcs:65kA,lcu:65kA; Type H:lcs:65kA,lcu:85kA;	
	690V:Type L:lcs:10kA,lcu:15kA;	
	Type M:lcs:20kA,lcu:20kA;	
	Type H:lcs:20kA,lcu:30kA;	
	Selectivity category:A;	
	3P,3P+N(Type A:3 protected poles with an uninterrupted neutral pole; Type D:3 protected poles with a protected uninterrupted neutral pole);	
	4P(Type B:3 protected poles with a switched neutral pole;Type C:4 protected poles);	
	3P,4P:Suitable for isolation;	
	3P+N:Not suitable for isolation;	
	Matching auxiliary contact:FC38-400, 1NO1NC,2NO2NC,4NO4NC;	
	Ith:6A;	
	AC-15:(380/400)V/1A;	
	DC-13:(220/230)V/0.15A;	
	Electronic accessory complying with annex N:	
	Undervoltage release:QT38-400,	
	Us:AC(220/230)V,AC(380/400)V;	
	Motor-operator: CD2-400, Us:AC(220/230)V,AC(380/400)V	

Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):				
\boxtimes	CB Testing Laboratory:	Fujian Inspection and Re Quality(FQII)	esearch Institute for Product	
Test	ing location/ address:	No. 121, Shan Tou Jiao Fujian, P.R.China	, West Yang Qiao Road, Fuzhou,	
Test	ed by (name, function, signature):	Zheng Meihai T 7 7 4 (Engineer)	如美油 河南)	
Арр	roved by (name, function, signature):	Wei Yunming (Chief Engineer)	(0 Fig.	
		T		
	Testing procedure: CTF Stage 1:			
Test	ing location/ address:			
Test	ed by (name, function, signature):			
Арр	roved by (name, function, signature):			
	Testing procedure: CTF Stage 2:			
Test	ing location/ address:			
Test	ed by (name + signature):			
Witn	essed by (name, function, signature):			
Арр	roved by (name, function, signature):			
	Testing procedure: CTF Stage 3:			
	Testing procedure: CTF Stage 4:			
Test	ing location/ address:			
Test	ed by (name, function, signature):			
Witn	essed by (name, function, signature):			
App	roved by (name, function, signature) :			
Sup	ervised by (name, function, signature) :			