





TEST REPORT EN 60947-2 Low-voltage switchgear and controlgear - Part 2: Circuit-breakers	
Report Number.....:	00901-CE2022CQC0303-012911
Date of issue.....:	2023-06-14
Total number of pages.....:	52
Name of Testing Laboratory preparing the Report.....:	Shanghai Testing & Inspection Institute for Electrical Equipment Co.,Ltd (STIEE)
Applicant's name.....:	Zhejiang Tengen Electric Co.,Ltd.
Address.....:	Sulv Industrial Area, Liushi Town, Yueqing City, Zhejiang Province, P.R.China
Test specification:	
Standard.....:	EN 60947-2:2017/A1:2020
Test procedure.....:	CCA
Non-standard test method.....:	N/A
Test Report Form No.....:	60947_2J
Test Report Form(s) Originator.....:	DEKRA Certification B.V.
Master TRF.....:	Dated 2020-03-31
Copyright © 2020 IEC System of Conformity Assessment Schemes for Electrotechnical Equipment and Components (IECEE System). All rights reserved. This publication may be reproduced in whole or in part for non-commercial purposes as long as the IECEE is acknowledged as copyright owner and source of the material. IECEE takes no responsibility for and will not assume liability for damages resulting from the reader's interpretation of the reproduced material due to its placement and context.	
General disclaimer:	
The test results presented in this report relate only to the object tested. This report shall not be reproduced, except in full, without the written approval of the Issuing CB Testing Laboratory. The authenticity of this Test Report and its contents can be verified by contacting the NCB, responsible for this Test Report.	

Test item description..... :	Circuit-breaker Incorporating Residual Current Protective	
Trade Mark(s)..... :	TENGEN	
Manufacturer..... :	Zhejiang Tengen Electric Co.,Ltd. / Sulv Industrial Area, Liushi Town, Yueqing City, Zhejiang Province, P.R.China	
Model/Type reference..... :	TGM1NL-630L,TGM1NL-630M,TGMKL-630L,TGMKL-630M, TGMGL-630L,TGMGL-630M,TGMHL-630L,TGMHL-630M, TGM1NL-800L,TGM1NL-800M,TGMKL-800L,TGMKL-800M, TGMGL-800L,TGMGL-800M,TGMHL-800L,TGMHL-800M	
Ratings..... :	See page 11	
Responsible Testing Laboratory (as applicable), testing procedure and testing location(s):		
<input checked="" type="checkbox"/> Testing Laboratory:	Shanghai Testing & Inspection Institute for Electrical Equipment Co.,Ltd (STIEE)	
Testing location/ address..... :	505 Wu Ning Rd. Shanghai 200063, P.R. CHINA	
Tested by (name, function, signature)..... :	Shen Dong/Engineer	
Approved by (name, function, signature)... :	Zeng Jingjing/Senior Engineer	
Testing procedure: CTF Stage 1:		
Testing location/ address..... :		
Tested by (name, function, signature):		
Approved by (name, function, signature)... :		
Testing procedure: CTF Stage 2:		
Testing location/ address..... :		
Tested by (name + signature)..... :		
Witnessed by (name, function, signature).. :		
Approved by (name, function, signature)... :		
Testing procedure: CTF Stage 3:		
Testing procedure: CTF Stage 4:		
Testing location/ address..... :		
Tested by (name, function, signature):		
Witnessed by (name, function, signature).. :		
Approved by (name, function, signature)... :		
Supervised by (name, function, signature) :		